

MATERIAL SAFETY DATA SHEET

LANXESS

LANXESS Sybron

LANXESS Corporation
Sybron Chemicals, Inc
200 Birmingham Road
Birmingham, NJ 08011
USA

TRANSPORTATION EMERGENCY

CALL CHEMTREC: (800) 424-9300
INTERNATIONAL: (703) 527-3887

NON-TRANSPORTATION

LANXESS Emergency Phone: (609) 893-1100
LANXESS Information Phone: (609) 893-1100

1. Product and Company Identification

Product Name: Ionac C-249 NS (4270)
Material Number: SY003358
Chemical Family: Cation Exchange Resin
Chemical Name: Benzene, diethenyl-, polymer with ethenylbenzene and ethenylethylbenzene, sulfonated, sodium salts

2. Hazards Identification

Emergency Overview

Color: Brown **Form:** Solid Beads **Odor:** Odorless.
Product poses little or no hazard if spilled.

Potential Health Effects

Primary Routes of Entry: Inhalation, Skin Contact, Eye Contact, Ingestion

Medical Conditions Aggravated by Exposure: Respiratory disorders

HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE

Eye

Acute Eye

For Product: Ionac C-249 NS (4270)

May cause mechanical irritation.

General Effects of Exposure

Acute Effects of Exposure

For Product: Ionac C-249 NS (4270)

Not expected to cause any adverse acute health effects.

Chronic Effects of Exposure

For Product: Ionac C-249 NS (4270)

Not expected to cause any adverse chronic health effects.

Carcinogenicity:

No Carcinogenic substances as defined by IARC, NTP and/or OSHA.

3. Composition/Information on Ingredients

Hazardous Components

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

4. First Aid Measures

Eye Contact

In case of contact, flush eyes with plenty of lukewarm water. Get medical attention if irritation develops.

Skin Contact

In case of skin contact, wash affected areas with soap and water.

Inhalation

If inhaled, remove to fresh air. Get medical attention if irritation develops.

Ingestion

If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

5. Fire-Fighting Measures

Suitable Extinguishing Media: water, foam, dry chemical

Unsuitable Extinguishing Agents: carbon dioxide (CO₂)

Special Fire Fighting Procedures

Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes.

6. Accidental release measures

Spill and Leak Procedures

Spills should be swept up and placed in appropriate containers for disposal. Clean up promptly by scoop or vacuum. Avoid creating dusty conditions.

7. Handling and Storage

Storage Temperature:

minimum: 0 °C (32 °F)
maximum: 40 °C (104 °F)

Storage Period

5 Years: When stored in original sealed container.

Handling/Storage Precautions

Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. Keep container closed when not in use. Avoid breathing dust.

Further Info on Storage Conditions

Protect from freezing.

8. Exposure Controls / Personal Protection

Country specific exposure limits have not been established or are not applicable

Industrial Hygiene/Ventilation Measures

Under normal conditions of use, special ventilation is not required.

Respiratory Protection

None required under normal conditions of use.

Eye Protection

safety glasses.

Skin and body protection

No special skin protection requirements during normal handling and use.

Additional Protective Measures

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product.

9. Physical and chemical properties

Form:	Solid
Appearance:	Beads
Color:	Brown
Odor:	Odorless
pH:	6.5 - 8.5
Freezing Point:	Not Applicable
Boiling Point/Range:	Not Applicable
Flash Point:	Not Applicable
Lower Explosion Limit:	Not Established
Upper Explosion Limit:	Not Established
Vapor Pressure:	Not Applicable
Specific Gravity:	1.3 @ 20 °C (68 °F)
Solubility in Water:	Insoluble
Autoignition Temperature:	> 500 °C (> 932 °F)
Decomposition Temperature:	Not established

Bulk Density: no data available

10. Stability and Reactivity

Hazardous Reactions

Hazardous polymerization does not occur.

Stability

Stable

11. Toxicological Information

Toxicity Data for Ionac C-249 NS (4270)

Toxicity Note

No data available for this product.

Toxicity Data for Benzene, diethenyl-, polymer with ethenylbenzene and ethenylethylbenzene, sulfonated, sodium salts

Toxicity Note

Toxicity data is based on a similar product.

Acute Oral Toxicity

LD50: > 5,000 mg/kg (Rat)

Skin Irritation

rabbit, Exposure Time: 4 hrs, Non-irritating

Eye Irritation

rabbit, Non-irritating

12. Ecological Information

Ecological Data for Ionac C-249 NS (4270)

Additional Ecotoxicological Remarks

No data available for this product.

13. Disposal considerations

Waste Disposal Method

Waste disposal should be in accordance with existing federal, state, provincial, and/or local environmental control laws.

Empty Container Precautions

Recondition or dispose of empty container in accordance with governmental regulations.

14. Transportation information

Land transport (DOT)

Non-Regulated

Sea transport (IMDG)

Non-Regulated

Air transport (ICAO/IATA)

Non-Regulated

15. Regulatory Information

United States Federal Regulations

OSHA Hazcom Standard Rating: Non-Hazardous

US. Toxic Substances Control Act: Listed on the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302):

Components

None

SARA Section 311/312 Hazard Categories:

Non-hazardous under Section 311/312

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A):

Components

None

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required:

Components

None

US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

State Right-To-Know Information

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:

Weight %

≥1%

Components

Benzene, diethenyl-, polymer with

CAS-No.

69011-22-9

>=1%

ethenylbenzene and
ethenylethylbenzene, sulfonated,
sodium salts
Water

7732-18-5

California Prop. 65:

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

16. Other Information

NFPA 704M Rating

Health	0
Flammability	1
Reactivity	1
Other	

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

HMIS Rating

Health	0
Flammability	1
Physical Hazard	1

0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

* = Chronic Health Hazard

LANXESS Corporation's method of hazard communication is comprised of Product Labels and Material Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS Corporation as a customer service.

Contact Person: Product Safety Department
Telephone: (609) 893-1100
MSDS Number: 000000003358
Version Date: 07/13/2007
Report Version: 1.4

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of LANXESS Corporation. The information in this MSDS relates only to the specific material designated herein. LANXESS Corporation assumes no legal responsibility for use of or reliance upon the information in this MSDS.